THE POWER OF VERSATILITY

Cummins generators and rechargeable Power Stations for home, small business and agriculture

S OI



POWER THROUGH ANYTHING

For over a century, the Cummins name has been synonymous with rugged, reliable power. This is why hospitals, fire stations and police departments trust our generators to provide backup power. You can enjoy that same reliability for tailgating, camping, off-grid adventures, home standby power and keeping a small business (either mobile or brick and mortar) running. Discover the peace of mind that comes with having a dependable source of electricity when you need it most.

QUIETCONNECT[™] HOME AND SMALL BUSINESS STANDBY GENERATORS

WHY IS A CUMMINS STANDBY GENERATOR RIGHT FOR YOU?



QUIET

Patented sound technology and an advanced housing design help make these generators some of the quietest in the industry.



COMPACT DESIGN

The compact design allows for installation close to your home, and the sleek appearance blends into your landscape.



LOAD MANAGEMENT

Intelligent learning allows you to do more with a smaller generator, providing optimal performance and convenience.



COLD-WEATHER CAPABILITY

Cummins standby generators are designed to operate at 0 °F (-18 °C) out of the box and down to -40 °F (-40 °C) with a cold weather option.



EXCEPTIONAL MOTOR STARTING

With powerful motor-starting ability, these generators can easily start and run a 5-ton A/C under full preload. ()

NO-START EXERCISING

The generator offers an eco-friendly way to run diagnostics without starting the engine, giving you confidence while decreasing fuel consumption and noise.



REMOTE MONITORING

Advanced remote monitoring allows you to monitor and control your generator at no cost and from almost anywhere. Access your generator status using your smart device with the Cummins Connect Cloud[™] App or via a desktop computer using PowerCommand[®] Cloud[™].

OUTSTANDING WARRANTIES

Cummins offers a competitive base warranty with fewer exclusions than other brands. The 13-, 17- and 20-kW models include a 5-year/2,000-hour limited warranty; 25-150 kW models include a 2-year limited warranty. Costeffective extended warranty options allow for full coverage for up to 10 years. Please speak to your Cummins Authorized Dealer for more information.



QUIETCONNECT HOME STANDBY GENERATORS

111111



DESIGNED FOR QUIET, POWERFUL PERFORMANCE

AVAILABLE IN 13-150 KW MODELS

- Advanced enclosure provides an aesthetically appealing look
- Remote monitoring makes it easy to troubleshoot from almost anywhere
- Capable of running on clean-burning liquid propane or natural gas
- Built-to-last product backed by a high-quality brand

QUIETCONNECT[™] SERIES SPECIFICATIONS



| Rating (kW) | Model | Dimensions (in) | Voltage | Phase | Fuel |
|-------------|----------|-------------------|---------------------------|-------|--------|
| 13 | RS13A | 34.1 x 36 x 27.3 | 120/240 | 1 | NG/LP |
| 17 | RS17A | 34.1 x 36 x 27.3 | 120/240 | 1 | NG/LP |
| 20 | RS20A/AC | 34.1 x 36 x 27.3 | 120/240 | 1 | NG/LP |
| 25 | RS25 | 72 x 34 x 45.5 | 120/240 | 1 | NG/LP |
| 25 | RS25 | 72 x 34 x 45.5 | 120/208, 120/240 | 3 | NG/LP |
| 30 | RS30 | 94 x 34 x 45.5 | 120/240 | 1 | NG/LP |
| 30 | RS30 | 94 x 34 x 45.5 | 120/208, 120/240 | 3 | NG/LP |
| 36 | RS36 | 94 x 34 x 45.5 | 120/240, 277/480, 120/208 | 3 | NG/LP |
| 36 | RS36 | 94 x 34 x 45.5 | 120/240 | 1 | NG/LP |
| 40 | RS40 | 94 x 34 x 45.5 | 120/240 | 1 | NG/LP |
| 40 | RS40 | 94 x 34 x 45.5 | 120/208, 120/240, 277/480 | 3 | NG/LP |
| 50 | RS50 | 118.7 x 40 x 58.3 | 120/240 | 1 | NG/LP |
| 50 | RS50 | 118.7 x 40 x 58.3 | 120/208, 277/480, 120/240 | 3 | NG/LP |
| 60 | RS60 | 118.7 x 40 x 58.3 | 120/240 | 1 | NG/LP |
| 60 | RS60 | 118.7 x 40 x 58.3 | 120/208, 277/480, 120/240 | 3 | NG/LP |
| 80 | RS80 | 118.7 x 40 x 58.3 | 120/240 | 1 | NG/LP |
| 80 | RS80 | 118.7 x 40 x 58.3 | 120/208, 277/480, 120/240 | 3 | NG/LP |
| 100 | RS100 | 118.7 x 40 x 58.3 | 120/240 | 1 | NG/LP |
| 100 | RS100 | 118.7 x 40 x 58.3 | 120/208, 120/240, 277/480 | 3 | NG/LP |
| 125 | RS125 | 143 x 40 x 72 | 120/240 | 1 | NG/LP |
| 125 | RS125 | 143 x 40 x 72 | 120/208, 277/480, 120/240 | 3 | NG/LP |
| 150 | RS150 | 143 x 40 x 72 | 120/240 | 1 | NG/LP |
| 150 | RS150 | 143 x 40 x 72 | 120/208, 277/480, 120/240 | 3 | NG/LP |
| 20 | C20D6 | 72 x 34 x 45.5 | 120/240 | 1 | Diesel |
| 30 | C30D6 | 93.8 x 34 x 45.5 | 120/240 | 1 | Diesel |
| 50 | C50D6 | 93.8 x 34 x 45.5 | 120/240 | 1 | Diesel |
| 80 | C80D6 | 119 x 40 x 58 | 120/240 | 1 | Diesel |
| 100 | C100D6 | 119 x 40 x 58 | 120/240 | 1 | Diesel |

AIR COOLED MODELS

13, 17 AND 20 KW

STANDARD FEATURES

- Sound attenuated for low noise
- 5-year/2,000-hour limited warranty*
- Powder-coated aluminum enclosure rated for up to 180mph winds
- Free remote monitoring via Cummins
 Connect Cloud App or via desktop using
 PowerCommand Cloud
- Field-selectable fuel type: natural gas or propane
- Flexible fuel line
- Sturdy shipping skid for easy forklift handling
- Attractive packaging for display in retail locations
- Certifications/code compliance
 - UL 2200
 - EPA emissions
- Operator's Manual, Installation Quick Guide and Manual, Service Manual Included

OPTIONAL FEATURES

- Load management kit
- Extreme cold weather option
- Remote emergency stop kit
- Enclosure paint touch-up kit
- Remote display
- Maintenance and service kit
- Cost-effective extended warranty options allow for full coverage for up to 10 years
- Concrete mounting pad
- Dealer planned maintenance

* Parts, labor and travel covered in years 0-2; only parts are covered in years 3-5.



HOW STANDBY GENERATORS WORK

LIQUID COOLED MODELS

25-150 KW

STANDARD FEATURES

- 120V/240V 1 phase
- 120V/240V, 120V/280V and 277V/480V 3 phase
- 2-year limited warranty
- Aluminum enclosure
- Field-selectable fuel type for products 25-100 kW: natural gas or liquid propane
- Flexible fuel line
- Sturdy shipping skid for easy forklift handling
- 180-mph wind rating
- PowerCommand Controls
- Emergency stop switch
- Operator's Manual, Installation Quick Guide and Manual, Service Manual included
- Certifications/code compliance
 - EPA emissions
 - IBC seismic
 - OSHPD seismic
 - NFPA 110 capable
 - UL 2200

OPTIONAL FEATURES

- Extreme cold weather kit
- Remote emergency stop kit
- Enclosure paint touch-up kit
- Maintenance and service kit
- Remote display
- Cost-effective extended warranty options allow for full coverage for up to 10 years
- Stand-alone battery charger
- Acumen[®] remote monitoring device
- Enclosure sound level reduction kit
- Base barrier for elevated generator set
- PMG/EBS kits
- Alternator heater kit
- Auxiliary output relays
- Auxiliary configurable signal inputs
- Annunciator



Automatic transfer switch senses power outage



Home is instantly disconnected from utility



Standby generator starts itself



Standby generator begins powering the home

CHOOSE THE CORRECT QUIETCONNECT HOME STANDBY GENERATOR

Identify the items you need to power and determine the total wattage for them.

2 Choose a solution that powers up to 90% of your needs.

STANDBY GENERATORS

| | QuietConnect 13 Kw | QuietConnect 20 Kw | QuietConnect 25 Kw | QuietConnect 30-120 Kw |
|-------------------------|-----------------------|-----------------------|-----------------------|---------------------------|
| Central Air Conditioner | | | | |
| Electric Garage Door | | | | |
| Electric Water Heater | | | | |
| Gas Furnace | | | | |
| Refrigerator | | | | |
| Freezer | | | | |
| Microwave | | | | |
| Cooktop | | | | |
| Dishwasher | | | | |
| Washing Machine | | | | |
| Electric Oven or Range | | | | |
| Clothes Dryer | | | | |
| Sump Pump | | | | |
| Well Pump | | | | |
| Hot Tub | | | | - |
| Pool | | | | |
| Sauna | | | | |
| Ideal Uses | | Whole-home or bus | iness backup power | |

Note: Chart demonstrates different types of devices that can be powered by each QuietConnect home standby generator. Check the starting and running peak wattage of all devices you wish to power together to see which size is the best match.

For professional installation and an accurate assessment of your standby generator needs, find a Cummins Authorized Dealer near you at cummins.tech/dealer.

AUTOMATIC TRANSFER SWITCHES

A key component of every Cummins standby generator system, an automatic transfer switch constantly monitors your utility power. When it senses an outage, it instantaneously transfers the load circuit to your generator. This saves you the hassle of starting your generator yourself and is the safest way to connect it in potentially dangerous weather.



RA SERIES

Specifically designed to operate with 13-100 kW Cummins RS Series singlephase generators, these aluminum clad automatic transfer switches are our most economical option and are suitable for indoor or outdoor installations.

| Model | Rating (Amps) | Voltage (Volt) | Service Entrance Rated | UL Rated | CSA Rated | Outdoor Rated | Enclosure Material |
|----------|------------------|-------------------|------------------------------|-------------|--------------|------------------|-----------------------------------|
| RA112N3 | 100 | 240 | | Yes | Yes | Yes | Aluminum |
| RA112L1 | 100 | 240 | | Yes | Yes | Yes | Steel w/ 24-Circuit Load Panel |
| RA212N3 | 200 | 240 | | Yes | Yes | Yes | Aluminum |
| RA112S3 | 100 | 240 | Yes | Yes | | Yes | Aluminum |
| RA112S3 | 100 | 240 | Yes | Yes | Yes | Yes | Aluminum |
| RA1512S3 | 150 | 240 | Yes | Yes | | Yes | Aluminum |
| RA212S3 | 200 | 240 | Yes | Yes | | Yes | Aluminum |
| RA212S3 | 200 | 240 | Yes | Yes | Yes | Yes | Aluminum |
| RA312S3 | 300 | 240 | Yes | Yes | | Yes | Aluminum |
| RA412S3 | 400 | 240 | Yes | Yes | | Yes | Aluminum |
| RA412S3 | 400 | 240 | Yes | Yes | Yes | Yes | Aluminum |
| RA412N3 | 400 | 240 | | Yes | Yes | Yes | Aluminum |



RSS SERIES

Our RSS automatic transfer switches can be installed for indoor/outdoor use with any generator. Ideal for residential and light commercial applications, they offer a higher level of configurability, monitoring and performance. Featuring allsteel construction, an integral battery charger and a backlit LED control panel, these switches can be custom programmed for under/over voltage setpoints, custom exercising schedule, time delay settings and more.

| Model | Rating (Amps) | Voltage (Volt) | Service Entrance Rated | UL Rated | CSA Rated | Outdoor Rated | Enclosure Material |
|-------------|------------------|-------------------|------------------------------|-------------|--------------|------------------|-----------------------|
| RSS100-6634 | 100 | 240 | | Yes | Yes | Yes | Steel |
| RSS200-6635 | 200 | 240 | | Yes | Yes | Yes | Steel |



OTEC SERIES

OTEC automatic transfer switches offer the highest level of performance for residential, commercial, life, safety and industrial applications. The OTEC transfer switch uses a robust bi-directional linear motor actuator and comes with advanced features such as 3-phase sensing on both sources, synch check for in-phase power transfer, event logging and many programmable settings.

| Model | Rating (Amps) | Voltage (Volt) | Service Entrance Rated | UL Rated | CSA Rated | Outdoor Rated | Enclosure Material |
|-------|------------------|----------------|------------------------------|-------------|--------------|------------------|-----------------------|
| OTECA | 125 | 208 | | Yes | Yes | | Steel |
| OTECA | 125 | 208 | | Yes | Yes | Yes | Steel |
| OTECA | 125 | 480 | | Yes | Yes | | Steel |
| OTECA | 125 | 480 | | Yes | Yes | Yes | Steel |
| OTECB | 225 | 208 | | Yes | Yes | | Steel |
| OTECB | 225 | 208 | | Yes | Yes | Yes | Steel |
| OTECB | 225 | 480 | | Yes | Yes | | Steel |
| OTECB | 225 | 480 | | Yes | Yes | Yes | Steel |
| OTECB | 225 | 240 | Yes | Yes | | Yes | Steel |
| OTECC | 400 | 240 | | Yes | Yes | | Steel |
| OTECC | 400 | 240 | | Yes | Yes | Yes | Steel |
| OTECC | 400 | 208 | | Yes | Yes | | Steel |
| OTECC | 400 | 208 | | Yes | Yes | Yes | Steel |
| OTECC | 400 | 240 | | Yes | Yes | | Steel |
| OTECC | 400 | 240 | | Yes | Yes | Yes | Steel |
| OTECC | 400 | 480 | | Yes | Yes | | Steel |
| OTECC | 400 | 480 | | Yes | Yes | Yes | Steel |
| OTECC | 600 | 240 | | Yes | Yes | | Steel |
| OTECC | 400 | 240 | Yes | Yes | | Yes | Steel |
| OTECC | 600 | 240 | | Yes | Yes | Yes | Steel |
| OTECC | 600 | 208 | | Yes | Yes | | Steel |
| OTECC | 600 | 208 | | Yes | Yes | Yes | Steel |
| OTECC | 600 | 240 | | Yes | Yes | | Steel |
| OTECC | 600 | 240 | | Yes | Yes | Yes | Steel |
| OTECC | 600 | 480 | | Yes | Yes | | Steel |
| OTECC | 600 | 480 | | Yes | Yes | Yes | Steel |



POWERING LIVES FOR OVER 100 YEARS

Clessie Cummins founded Cummins to make better diesel engines.

David Onan founded Onan Corporation and manufactured the first generators for home use. Cummins introduced America's first diesel-powered car in 1929.

Cummins supplied engines for heavy-duty trucks and most of the field generators used by Allied forces in World War II.

Onan developed the first generator specifically for RVs in 1961 and introduced a line of automatic transfer switches and paralleling switchgear.

Cummins introduced the Turbo Diesel engine for RAM pickup trucks.

Cummins and Onan united strengths under Cummins Power Generation.

Cummins was awarded a renewed U.S. Army contract for the latest series of military field generators. A new line of residential standby generators was introduced in 2008.

2010s

1919

1920s

1940s

1960s

1980s

1990s

2000s

Builder magazine selected Cummins home generators as "Best in Quality" five years in a row (2010-2014). Cummins was recognized repeatedly as one of the best places to work and has been continuously applauded as a top company for diversity, sustainability and financial performance. A new line of portable generators was introduced in 2019.



Cummins rolls out its line of portable, lithium-ion rechargeable Power Stations.







PREVENTING POWER OUTAGES FROM DISRUPTING WORK

A variety of solutions to meet your unique needs

QUIETCONNECT STANDBY GENERATORS

- Capable of running on clean-burning liquid propane or natural gas
- Advanced, sound-dampening enclosure makes these some of the quietest generators of their kind
- Innovative, flexible exercise mode enables the generator to test itself at a convenient time, frequency and duration
- PowerCommand electronic control provides industry-leading self-diagnostic capabilities
- Built-to-last product backed by a high-quality brand
- Optional remote monitoring makes it easy to troubleshoot from almost anywhere



| kW | Model | Voltage | Phase | Fuel |
|----|-------|---------|-------|--------|
| 25 | RS25 | 120/240 | 1Ph | NG/LPV |
| 25 | RS25 | 120/208 | 3Ph | NG/LPV |
| 25 | RS25 | 120/240 | 3Ph | NG/LPV |
| 30 | RS30 | 120/240 | 1Ph | NG/LPV |
| 30 | RS30 | 120/208 | 3Ph | NG/LPV |
| 30 | RS30 | 120/240 | 3Ph | NG/LPV |
| 36 | RS36 | 120/240 | 3Ph | NG/LPV |
| 36 | RS36 | 277/480 | 3Ph | NG/LPV |
| 36 | RS36 | 120/240 | 1Ph | NG/LPV |
| 36 | RS36 | 120/208 | 3Ph | NG/LPV |
| 40 | RS40 | 120/240 | 1Ph | NG/LPV |
| 40 | RS40 | 120/208 | 3Ph | NG/LPV |
| 40 | RS40 | 120/240 | 3Ph | NG/LPV |
| 40 | RS40 | 277/480 | 3Ph | NG/LPV |
| 50 | RS50 | 120/240 | 1Ph | NG/LPV |
| 50 | RS50 | 120/208 | 3Ph | NG/LPV |
| 50 | RS50 | 277/480 | 3Ph | NG/LPV |
| 50 | RS50 | 120/240 | 3Ph | NG/LPV |
| 60 | RS60 | 120/240 | 1Ph | NG/LPV |
| 60 | RS60 | 120/208 | 3Ph | NG/LPV |
| 60 | RS60 | 277/480 | 3Ph | NG/LPV |
| 60 | RS60 | 120/240 | 3Ph | NG/LPV |

SPECIFICATIONS

| kW | Model | Voltage | Phase | Fuel |
|-----|-------|---------|-------|--------|
| 80 | RS80 | 120/240 | 1Ph | NG/LPV |
| 80 | RS80 | 120/208 | 3Ph | NG/LPV |
| 80 | RS80 | 277/480 | 3Ph | NG/LPV |
| 80 | RS80 | 120/240 | 3Ph | NG/LPV |
| 100 | RS100 | 120/240 | 1Ph | NG/LPV |
| 100 | RS100 | 120/208 | 3Ph | NG/LPV |
| 100 | RS100 | 277/480 | 3Ph | NG/LPV |
| 100 | RS100 | 120/240 | 3Ph | NG/LPV |
| 125 | RS125 | 120/240 | 1Ph | NG/LPV |
| 125 | RS125 | 120/208 | 3Ph | NG/LPV |
| 125 | RS125 | 277/480 | 3Ph | NG/LPV |
| 125 | RS125 | 120/240 | 3Ph | NG/LPV |
| 150 | RS150 | 120/240 | 1Ph | NG/LPV |
| 150 | RS150 | 120/208 | 3Ph | NG/LPV |
| 150 | RS150 | 277/480 | 3Ph | NG/LPV |
| 150 | RS150 | 120/240 | 3Ph | NG/LPV |

DIESEL STANDBY GENERATORS

- Rugged 4-cycle industrial diesel engines for reliable power, low emissions and fast response to load variations
- Different size alternators available for tailoring motor starting to your needs
- Flexible exercise mode and Cummins
 PowerCommand electronic control to provide industry-leading, self-diagnostic capabilities
- Aesthetically appealing, noise-reducing and anticorrosion enclosure
- Withstands up to 180 mph winds in accordance with ASCE 7-10
- One of the quietest generators of its kind
- Optional remote monitoring makes it easy to troubleshoot from almost anywhere



| Model | Hz | Prime kVA/kW | Standby kVA/kW | Fuel | Part Number | Enclosure | Cold Weather Kit |
|---------|-----|-----------------|-------------------|-----------------------------|----------------|----------------------|---------------------|
| C20D6 | 20 | 120/240 | 1Ph | Diesel - no tank | A063P962 | | |
| C30D6 | 30 | 120/240 | 1Ph | Diesel - no tank | A063P964 | | |
| C50D6 | 50 | 120/240 | 1Ph | Diesel - no tank | A063P966 | | |
| C80D6C | 80 | 120/240 | 1Ph | Diesel - no tank | A063P969 | | |
| C100D6C | 100 | 120/240 | 1Ph | Diesel - no tank | A063P987 | Sound | |
| C20D6 | 20 | 120/240 | 1Ph | Diesel - 24hr basic tank | A063P961 | Level 1 Enclosure | Standard |
| C30D6 | 30 | 120/240 | 1Ph | Diesel - 24hr basic tank | A063P963 | - Sandstone | 40° |
| C50D6 | 50 | 120/240 | 1Ph | Diesel - 24hr basic tank | A063P965 | | |
| C80D6C | 80 | 120/240 | 1Ph | Diesel - 24hr basic tank | A063P967 | | |
| C100D6C | 100 | 120/240 | 1Ph | Diesel - 24hr basic tank | A063P977 | | |

SPECIFICATIONS



DIESEL GENERATOR SETS FOR AGRICULTURE



KEEPING FARMS RUNNING EVEN IN THE HARSHEST CONDITIONS

- Preconfigured diesel generator sets deliver reliable power and fast response to load changes
- Designed for use in the agriculture industry
- Operates effectively in harsh weather conditions
- Avoids downtime by overriding shutdown faults with battle short mode
- Rugged 4-cycle industrial diesel heavy-duty engines
- Flexible exercise mode and Cummins
 PowerCommand electronic control to provide industry-leading, self-diagnostic capabilities
- Aesthetically appealing, noise-reducing and anti-corrosion enclosure
- Optional features include two dual-wall subbase fuel tanks that allow flexibility to meet code requirements

| | Prime |
|--|-------|

SPECIFICATIONS

| Model | Hz | Prime kVA/kW | Standby kVA/kW | Fuel | Part Number | Enclosure | Cold Weather Kit |
|---------|-----|-----------------|-------------------|--------|----------------|-------------------|---------------------|
| C60D6 | 60 | 120/240 | 1 Ph | Diesel | A060A345 | | |
| C80D6C | 80 | 120/240 | 1 Ph | Diesel | A061T469 | | |
| C100D6C | 100 | 120/240 | 1 Ph | Diesel | A061T471 | Open | |
| C125D6D | 125 | 120/240 | 1 Ph | Diesel | A060A344 | – No Enclosure | NA |
| C150D6D | 150 | 120/240 | 1 Ph | Diesel | A061T474 | | |
| C175D6D | 175 | 120/240 | 1 Ph | Diesel | A061T476 | | |
| C200D6D | 200 | 120/240 | 1 Ph | Diesel | A061T477 | | |







Digital In

WHY IS A CUMMINS PORTABLE GENERATOR RIGHT FOR YOU?



COMPACT, LIGHTWEIGHT DESIGN

From the easy-to-carry P2500i to the highly maneuverable P9500DF, Cummins Onan portable generators deliver power to go.



QUIET AND DURABLE

Double insulation means exceptionally quiet operation and proven four-stroke overhead valve (OHV) engines deliver durable, dependable performance.



FUEL EFFICIENT

Runs 10-18 hours in continuous operation (at 25% load factor) on a single tank of gasoline, while a 20-pound propane tank delivers eight hours of continuous power at 25% load.



EASY STARTING

Push button and Bluetooth[®] remote start capabilities, with pullcord backup, make startup as easy as the push of a button.



ESSENTIAL DATA DISPLAY

From power output and fuel level to remaining run time and lifetime run time, our digital displays give you critical facts at a glance.



PARALLEL CAPABLE

P2500i and P4500i inverter models can be paralleled with comparable units to provide more power to power more.



ELECTRONICS COMPATIBILITY

Low total harmonic distortion values provide the clean power needed to operate sensitive electronics.



MULTIPLE OUTPUTS


Inverter generators have both AC and DC capabilities, including USB ports. All outlets are covered to prevent dust contamination.



OVERLOAD PROTECTION

Circuit breakers are easily accessible for rapid reset.





DESIGNED FOR PERFORMANCE, WHEN AND WHERE YOU NEED IT MOST

AVAILABLE IN 2500, 4500 AND 9500 PEAK WATT MODELS

- Quiet, neighbor-friendly operation
- Lightweight for easy carrying or rolling
- Fast, convenient starting
- At-a-glance data display
- Inverter or dual-fuel capabilities
- 3-year warranty (residential use) backed by the largest service and support network in North America

PORTABLE GENERATOR SPECIFICATIONS



Rugged and reliable, Cummins portable generators deliver 2500 to 9500 peak watts, quiet operation and long run times.

| Model Name | Rating (watts) | Rated (amps) | Fuel | Voltage | Phase | Dimensions (in) | Sound Levels dB (A) |
|---------------|-------------------|-----------------|--------|--------------------|--------|-----------------------|------------------------|
| Onan P2500i | 2500 | 20.8 | Gas | 120 | 1 | 19.75 x 10.5 x 18.25 | 52 |
| Onan P4500i | 4500 | 37.5 | Gas | 120 | 1 | 24.5 x 18.25 x 20.5 | 52 |
| Onan P4500iDF | 4500 4050 | 37.5 33.8 | Gas/LP | 120 120 | 1 1 | 25.5 x 18.12 x 20.5 | 52 52 |
| Onan P9500DF | 9500 8550 | 79/39 56/28 | Gas/LP | 120/240 120/240 | 1 | 27.25 x 26.25 x 26.25 | 74 |



PORTABLE GENERATOR MODELS





CUMMINS ONAN P2500i STANDARD FEATURES

- 2500 peak watts/2200 running watts
- Wireless key fob for remote starting
- One Duplex 120V 20A AC (5-20R) outlet
- One 12V 8A DC car-style outlet
- Two 5V USB outlets
- Paralleling ports for use with Cummins 30-Amp paralleling kit
- LED graphical display
- 3.4 hp, 98 cc OHV four-stroke engine
- ≤3% total harmonic distortion
- Economy mode switch
- 1-gallon fuel tank for 10-hour run time at 25% load or 8-hour run time at 50% load
- Molded handle for easy carrying
- 48 lbs (21 kg) dry weight
- Certified compliant EPA/CARB/Canadian CSA
- 3-year warranty residential use or 1-year commercial use

CUMMINS ONAN P4500i STANDARD FEATURES

- 4500 peak watts/3700 running watts
- Wireless key fob for remote starting
- One 120V 30A (TT-30R) AC outlet
- One duplex 120V 20A AC (5-20R) outlet
- Two 5V USB ports
- Paralleling ports for use with Cummins 50-amp paralleling kit
- LED graphical display: Remaining Run Time, Power, Fuel Level, Voltage, Total Hours
- Push button and remote start with pull-cord backup
- Battery charger
- 7.3 hp, 224 cc OHV four-stroke engine
- ≤3% total harmonic distortion
- Economy mode switch
- 3.4-gallon fuel tank for 18-hour run time at 25% load or 15-hour run time at 50% load
- Telescoping handle with preassembled 5.5 in wheels
- 98 lbs (44 kg) dry weight
- Certified compliant EPA/CARB/Canadian CSA
- 3-year warranty residential use or 1-year commercial use





CUMMINS ONAN P4500iDF STANDARD FEATURES

- Fuel selector switch enables easy changeover between gasoline and propane fuels
 - Gas: 4500 peak watts/3700 running watts
 - Propane: 4050 peak watts/3330 running watts
- Wireless key fob for remote starting
- One 120V 30A (TT-30R) AC outlet
- One duplex 120V 20A AC (5-20R) outlet
- Two 5V USB ports
- Paralleling ports for use with Cummins 50-amp paralleling kit
- LED graphical display: Remaining Run Time, Power, Fuel Level, Voltage, Total Hours
- Push button and remote start with pull-cord backup
- Battery charger
- 7.3 hp, 224 cc OHV four-stroke engine
- ≤3% total harmonic distortion
- Economy mode switch
- 3.4-gallon fuel tank for 18-hour run time at 25% load or 8.2-hour run time at 50% load
- 22-hour run time at 25% load with 20 lb standard propane tank (4.6 gal)
- Telescoping handle with preassembled 5.5 in wheels
- 104.7 lbs (47.6 kg) dry weight
- Certified compliant EPA/CARB/Canadian CSA
- 3-year warranty residential use or 1-year commercial use

CUMMINS ONAN P9500DF STANDARD FEATURES

- Fuel selector switch enables easy changeover between gasoline and propane fuels
 - Gas: 9500 peak watts/7500 running watts
 - Propane: 8550 peak watts/6750 running watts
- Wireless key fob for remote starting
- Two duplex 120V 20A GFCI (5-20R) outlets
- Digital Display: Volts, Frequency, Run Time, Maintenance Reminders and Lifetime Hours
- Push button and 109-yard remote start with pull-cord backup
- 13 hp, 420 cc OHV four-stroke engine
- ≤23% total harmonic distortion
- Heavy-duty frame with foam-grip handle, 10 in diameter/2.5 in wide wheels
- 6.6-gallon fuel tank for 16-hour run time at 25% load or 11-hour run time at 50% load when using gasoline
- 8-hour run time at 25% load with 20 lb standard propane tank
- 194 lbs (88 kg) dry weight
- Operational volume as low as 74 dBA
- Certified compliant EPA/CARB/Canadian CSA
- 3-year warranty residential use or 1-year commercial use

CHOOSE THE CORRECT PORTABLE GENERATOR



Identify the items you need to power and determine the total wattage for them.



2 Choose a solution theory up to 90% of your needs. Choose a solution that powers

Digital Inverter Generator

PORTABLE GENERATORS

| | Onan P2500i | Onan P4500i | Onan P4500iDF | Onan P9500DF |
|------------------------------|---|--|--|---|
| Smartphone | | | | |
| Blender | | | | |
| Printer | | | | |
| Coffee Maker | | | | |
| Light Bulb | | | | |
| Tire Warmers | | | | |
| Fan | | | | |
| Laptop Computer | | | | |
| LED TV | | | | |
| Refrigerator | | | | |
| Microwave | | | | |
| Hair Dryer | | | | |
| Circular Saw | | | | |
| Reciprocating Saw | | | | |
| Router | | | | |
| Wet/Dry Vac | | | | |
| Belt Sander | | | | |
| Air Conditioner | | | | |
| Air Compressor | | | | |
| Leaf Blower | | | | |
| Washing Machine | | | | |
| Power Washer | | | | |
| Sump Pump | | | | |
| Partial Home Backup Power | | | | |
| Ideal Uses | Small Appliances Electronics Tailgating | Medium Appliances RV Use Camping | Medium Appliances RV Use Camping | Large Appliances Home Emergency Backup Food Trucks |
| | Camping | Motorsports | Motorsports | General Contractor Work |

Note: Chart demonstrates different types of devices that can be powered by each portable generator. Check the starting and running peak wattage of all devices you wish to power together to see which size is the best match.



CUMMINS POWER STATIONS

WHAT MAKES A CUMMINS POWER STATION RIGHT FOR YOU?



ENVIRONMENTALLY FRIENDLY

Rechargeable batteries provide the electricity, not internal combustion engines.



ESSENTIAL DATA DISPLAY

From power output and fuel level to remaining run time and lifetime run time, our digital displays give you critical facts at a glance.



LIGHTWEIGHT

Easy to transport wherever you need power.



NO MAINTENANCE

No regular oil and filter changes are needed.



WHISPER QUIET

No internal combustion engine means nearly silent operation.



VARIETY OF SIZES

Available in 160, 200, 300, 600 and 1,000 watts.



DURABLE

Solid construction that's built to last.





ONAN PS160

- 155 watt-hours
- 150 peak watts/100 running watts
- Dimensions: 8" L x 3.5" W x 7" H
- Weight: 3.75 lbs
- Battery type: Lithium-Ion
- AC charge time: 6 hours
- Solar charge time with SP60: 5 hours
- AC Outlets: 2 x 120 V standard household outlets
- DC Outlets: 2 x USB-A, 1 x USB QC 3.0, 1 x USB-C and 3 x 5.5 mm 9-12 V
- Light with SOS mode: No
- Charging port: 5.5 mm
- Overload protection: Yes
- Warranty: 2 years or 500 cycles



ONAN PS200

- 194 watt-hours
- 300 peak watts/150 running watts
- Dimensions: 8" L x 3.5" W x 7.5" H
- Weight: 4 lbs
- Battery type: Lithium-Ion
- AC charge time: 4 hours
- Solar charge time with SP60:
 6 hours
- AC Outlets: 2 x 120 V standard household outlets
- DC Outlets: 1 x USB-A, 1 x USB QC 3.0, 1 x USB-C and 1 x 6 mm 9-12 V
- Light with SOS mode: Yes
- Charging port: 8 mm
- Overload protection: Yes
- Warranty: 2 years or 500 cycles

ONAN PS300

2

- 296 watt-hours
- 600 peak watts/300 running watts
- Dimensions: 9" L x 5" W x 9" H
- Weight: 6.5 lbs
- Battery type: Lithium-Ion
- AC Charge time: 5 hours
- Solar charge time with SP100: 5.5 hours
- AC Outlets: 2 x 120 V standard household outlets
- DC Outlets: 1 x USB-A, 1 x USB QC 3.0, 1 x USB-C, 1 x 6 mm
 9-12 V and 1 x 12 V 8 A car outlet
- Light with SOS mode: Yes
- Charging port: 8 mm
- Overload protection: Yes
- Warranty: 2 years or 500 cycles



ONAN PS600

- 592 watt-hours
- 600 running watts/1200 peak watts
- Dimensions: 11.5" L x 6.5" W x 11.5" H
- Weight: 11 lbs
- Battery type: Lithium-Ion
- AC Charge time: 7-8 hours
- Solar charge time with SP100: 11 hours (5.5 hours with 2 chargers running in parallel)
- AC Outlets: 2 x 120V standard household outlets
- DC Outlets: 1 x USB-A, 2 x USB QC 3.0, 1 x USB-C, 1 x 6 mm 9-12V and 1 x 12V 8A car outlet
- Light with SOS mode: Yes
- Charging port: 8 mm
- Overload protection: Yes
- Warranty: 2 years or 500 cycles

ONAN PS1000

- 1008 watt-hours
- 1500 running watts/3000 peak watts
- Dimensions: 12.4" L x 8" W x 12.3" H
- Weight: 31 lbs
- Battery type: Lithium-Ion
- AC Charge time: 2-3 hours
- Solar charge time with SP100: 18.5 hours (9 hours with 2 chargers running in parallel)
- AC Outlets: 6 x 120V standard household outlets
- DC Outlets: 2 x USB-A, 2 x USB QC 3.0, 2 x USB-C, 1 x 12V 8A car outlet
- Light with SOS mode: No
- Charging port: XT-60
- Overload protection: Yes
- Warranty: 2 years or 500 cycles

CHOOSE THE CORRECT CUMMINS POWER STATION

Identify the items you need to power and determine the total wattage for them.

2 Choose a solution that powers up to 90% of your needs.

5

POWER STATIONS

| | Onan PS160 | Onan PS200 | Onan PS300 | Onan PS600 | Onan PS1000 |
|-----------------------------|--|------------|------------|------------|-------------|
| Smartphone | | | | | |
| Tablet Computer | | | | | |
| DSLR Camera | | | | | |
| Drone | | | | | |
| Nintendo Switch | | | | | |
| Bluetooth Speaker | | | | | |
| GPS Systems | | | | | |
| Laptop Computer | | | | | |
| String Lights | | | | | |
| Food Warmer/Heated Lunchbox | | | | | |
| Mini Fridge | | | | | |
| Stand Mixer | | | | | |
| Car Vacuum | | | | | |
| Heated Blanket/Pet Pad | | | | | |
| CPAP machine | | | | | |
| Slow Cooker | | | | | |
| Complete Remote Office | | | | | |
| LED TV | | | | | |
| Refrigerator | | | | | |
| Wireless router | | | | | |
| Gaming Console | | | | | |
| Ideal Uses | Battery-Powered/Green Solutions • Electronics • Tailgating • Camping | | | | |

Note: Chart demonstrates different types of devices that can be powered by each Power Station. Check the starting and running peak wattage of all devices you wish to power together to see which size is the best match.

LET A PROFESSIONAL TAKE CARE OF IT

Cummins Authorized Dealers have in-depth product knowledge. In addition to having the required professional licenses, they must meet rigorous Cummins standards to perform installations, warranty repairs and a full range of services. A Cummins Authorized Dealer can work with you to ensure you're getting the right size unit to meet your needs. They can also handle any questions about connecting and configuring and assist with the installation of permanent units. To locate a dealer or to learn more about Cummins home standby and portable generators, visit homegenerators. cummins.com or call 1-800-CUMMINS[™].





Cummins Inc. Box 3005 Columbus, IN 47202-3005 U.S.A.

cummins.com

Bulletin 5544420 Produced in U.S.A. Rev. 3/24 ©2024 Cummins Inc.